ELSEVIER

Volume 529, Numbers 1–2, 15 February 1997

Journal of Organometallic Chemistry

Contents

Editorial 1

Theoretical and physiochemical aspects

The fluorine effect on the stability of phosphaalkenes, phosphasilenes, oxophosphane, thioxophosphane and their rearranged isomers
M.T. Nguyen, A. Van Keer and L.G. Vanquickenborne (Leuven, Belgium) 3

Cycloaddition reactions between 2*H*-phosphole and phosphaketene: ab initio examination of [2 + 2] and [4 + 2] pathways
U. Salzner and S.M. Bachrach (DeKalb, IL, USA) 15

Kinetic and isotope effect studies on the intermediacy of ethyl metathiophosphate in ethanolysis of O-ethyl N-1-adamantyl phosphoramidothioate
S. Jankowski, L.D. Quin (Amherst, MA, USA), P. Paneth (Łódź, Poland) and M.H. O'Leary (Lincoln, NE, USA) 23

Experimental and molecular orbital calculational study of the stereoselective Horner–Wittig reaction with phosphine oxides: control of stereoselectivity by lithium
D.R. Armstrong (Glasgow, UK), D. Barr, M.G. Davidson, G. Hutton, P. O'Brien, R. Snaith and S. Warren (Cambridge, UK) 29

Conformational diastereoisomerism in *tris*-(2-alkylimino) triphenylphosphines
M.R. Whitnall (Leeds, UK), K.K. Hii (Oxford, UK), M. Thornton-Pett and T.P. Kee (Leeds, UK) 35

New organophosphorus species

Synthesis of bowl-shaped dendrimers from generation 1 to generation 8
N. Launay, A.-M. Caminade and J.P. Majoral (Toulouse, France) 51

N → P intramolecular stabilization of phosphenium ions and preparation of hypercoordinated phosphanes with unusual properties
F. Carré, C. Chuit, R.J.P. Corriu, A. Mehdi and C. Reyé (Montpellier, France) 59

2-Diphenylphosphino-1,3-diphospholide anions
C. Charrier, N. Maigrot and F. Mathey (Palaiseau, France) 69

A triphospholyl-substituted phosphine
A.H. Cowley, S.M. Dennis, S. Kamepalli (Austin, TX, USA), C.J. Carrano and M.R. Bond (San Marcos, TX, USA) 75

The versatile behavior of a 1,2λ^5-azaphosphete towards protic nucleophiles
G. Bouhadir, K. Bieger (Toulouse, France), P. Livotto (Porto Alegre, Brazil), R. Réau, H. Gornitzka, F. Dahan and G. Bertrand (Toulouse, France) 79

Bis(ylide)-substituted phosphenium and phosphonium halides
A. Schmidpeter, G. Jochem, C. Klinger, C. Robl and H. Nöth (München, Germany) 87

Neue Silicium- und Phosphor-haltige Käfigverbindungen mit Bicyclo[2.2.2]octan-Gerüst
O. Walter, M. Büchner und G. Huttner (Heidelberg, Germany) 103

Palladium(0) mediated coupling of bromophosphaalkenes with Grignard reagents
M. Van der Sluis, A. Klootwijk, J.B.M. Wit, F. Bickelhaupt (Amsterdam, Netherlands), N. Veldman, A.L. Spek (Utrecht, Netherlands) and P.W. Jolly (Mülheim a.d. Ruhr, Germany) 107

An efficient preparation of macrocycles containing two tetra-coordinate phosphorus atoms
P. Molina, M. Alajarín, A. Arques, P. Sánchez-Andrada, A. Vidal and M.V. Vinader (Murcia, Spain) 121

Synthesis and reactivity of *P*-ferrocenylalkylidenephosphanes and related iminophosphanes and diphosphenes
R. Pietschnig, E. Niecke, M. Nieger (Bonn, Germany) and K. Airola (Jyväskylä, Finland) 127

A stereoselective process for the preparation of novel phosphonoalkylphosphinates
F.H. Ebetino and J.D. Berk (Cincinnati, OH, USA) 135

Elsevier Science S.A.

Phosphaalkene derivatives of furane and thiophene: synthesis, crystal structure, electrochemistry and EPR study of their radical anions
A. Jouaiti, A. Al Badri, M. Geoffroy (1211 Geneva, Switzerland) and G. Bernardinelli (Geneva, Switzerland) 143

Phosphinomethanides and Group 15 element halides: redox reactions, rearrangements and novel heterocycles
H.H. Karsch and E. Witt (Garching, Germany) 151

Resorcinol bis(cyclophosphites)
E.E. Nifantyev, E.N. Rasadkina, L.K. Vasyanina, V.K. Belsky and A.I. Stash (Moscow, Russia) 171

Synthesis, structure and isomerization of fluorine-containing 1,2-dihydro-1,3-diphosphetes
J. Grobe, D. Le Van, B. Broschk, M. Hegemann, B. Lüth, G. Becker (Münster, Germany), M. Böhringer (Stuttgart, Germany) and E.-U. Würthwein (Münster, Germany) 177

Facile syntheses and interconversions between simple phosphiranium and phosphirenium salts
D.C.R. Hockless, M.A. McDonald, M. Pabel and S.B. Wild (Canberra, Australia) 189

Synthesis of 1-phosphinophospholes and their tungstenpentacarbonyl complexes
D. Schmidt, S. Krill, B. Wang (Birmingham, AL, USA), F.R. Fronczek (Baton Rouge, LA, USA) and K. Lammertsma (Birmingham, AL, USA) 197

P–H bond activation of primary phosphine-boranes: access to α-hydroxy and α,α′-dihydroxyphosphine-borane adducts by uncatalyzed hydrophosphination of carbonyl derivatives
K. Bourumeau, A.-C. Gaumont and J.-M. Denis (Rennes, France) 205

Homo-Diels–Alder reactions of 2,4,6-tri-*tert*-butyl-1,3,5-triphospha-Dewar-benzene
P. Binger (Mülheim a.d. Ruhr, Germany), S. Leininger, M. Regitz, U. Bergsträßer (Kaiserslautern, Germany), J. Bruckmann and C. Krüger (Mülheim a.d. Ruhr, Germany) 215

Diphosphabenzenes V. 5,5′-(1,ω-Alkanediyl)-bis{λ^5-[1,3]diphosphinines}. A new ethynyl-λ^5-[1,3]diphosphinine
E. Fluck (Frankfurt am Main, Germany), G. Heckmann, E. Gorbunowa, M. Westerhausen (Stuttgart, Germany) and F. Weller (Marburg/Lahn, Germany) 223

Reactivity of dihydrodiazaphosphinines towards unsaturated substrates: addition, [5 + 2] cycloaddition and rearrangement processes
J. Barluenga, M. Tomás, K. Bieger, S. García-Granda and R. Santiago-García (Oviedo, Spain) 233

The role of lithium 1,3-bis(trimethylsilyl)-1-aza-allyls in phosphorus chemistry
P.B. Hitchcock, M.F. Lappert and M. Layh (Brighton, UK) 243

Synthesis of phosphinyl, thiophosphinyl and phosphonio guanidines
N. Inguimbert (Montpellier, France), L. Jäger (Halle/Saale, Germany), M. Taillefer and H.-J. Cristau (Montpellier, France) 257

Phosphorus compounds for organic synthesis

A useful magnesium reagent for the preparation of 1,1-difluoro-2-hydroxyphosphonates from diethyl bromodifluoromethylphosphonate via a metal–halogen exchange reaction
R. Waschbüsch, M. Samadi and P. Savignac (Palaiseau, France) 267

Cyclobutanone as an electrophile for lithiated phosphine oxides: 'internal quench' conditions
C. Guéguen, P. O'Brien, S. Warren and P. Wyatt (Cambridge, UK) 279

Use of new chiral tricoordinated phosphorus borane complexes in enantioselective borane reduction of ketones: complexes structure and mechanistic studies
J.-M. Brunel, O. Chiodi, B. Faure, F. Fotiadu and G. Buono (Marseille, France) 285

Regenerative role of the red phosphorus in the couple 'HI_{aq}/P_{red}'
D. Albouy, G. Etemad-Moghadam (Toulouse, France), M. Vinatoru (Bucarest, Romania) and M. Koenig (Toulouse, France) 295

Facile and stereoselective synthesis of vinylphosphonates
H.-J. Cristau, X. Yangkou Mbianda, Y. Beziat and M.-B. Gasc (Montpellier, France) 301

Phosphorus ligands in coordination chemistry

Synthesis of (fluorosilyl)phosphido iron and nickel complexes and ferriosilyl-substituted (fluorosilyl)phosphanes and evidence for the formation of a metallo phosphasilene of the type [M]–P=SiR_2
M. Driess, H. Pritzkow and U. Winkler (Heidelberg, Germany) 313

Synthesis and structure of cyclic phosphine–boranes
H. Schmidbaur, M. Sigl and A. Schier (Garching, Germany) 323

Transition metal-substituted phosphaalkenes and acylphosphanes. XXIX. Metallophosphaalkene $(\eta^5\text{-}C_5Me_5)(CO)_2FeP{=}C(NMe_2)_2$, a versatile molecule in coordination chemistry
L. Weber, O. Kaminski, B. Quasdorff, H.-G. Stammler and B. Neumann (Bielefeld, Germany) 329

Bis- and tetrakis-(diphenylphosphino)tetrathiafulvalenes as precursors of redox-active organic–inorganic polymeric networks
M. Fourmigué (Nantes, France), C.E. Uzelmeier (East Lansing, MI, USA), K. Boubekeur (Nantes, France), S.L. Bartley and K.R. Dunbar (East Lansing, MI, USA) 343

Synthese und Strukturen von *N*-Bis(diisopropylamino)phosphanyl-substituierten Aminocarbenkomplexen der Metalle Chrom, Molybdän und Wolfram
R. Streubel, M. Hobbold, J. Jeske, F. Ruthe und P.G. Jones (Braunschweig, Germany) 351

New examples of lanthanide(II) phosphides and arsenides with planar coordination at the heteroatom: crystal structures of $[(Mesityl)_2P]_2Sm(THF)_4$ and of $[(Mesityl)_2As]_2Sm(THF)_4$
F. Nief and L. Ricard (Palaiseau, France) 357

N-(*N'*,*N'*,*N''*,*N''*-tetramethyl)guanidine-substituted phosphines as monodentate, bidentate or tridentate ligands in transition metal chemistry
J. Münchenberg, A.K. Fischer, H. Thönnessen, P.G. Jones and R. Schmutzler (Braunschweig, Germany) 361

Electrochemical investigations on phospha ferrocenes
R. Bartsch (Braunschweig, Germany), S. Datsenko, N.V. Ignatiev (Kiev, Ukraine), C. Müller (Braunschweig, Germany), J.F. Nixon and C.J. Pickett (Brighton, UK) 375

Cleavage of an acyclic P_5 ligand into $P_4|P_1$ and $P_3|P_2$ molecular building blocks
O.J. Scherer, T. Mohr and G. Wolmershäuser (Kaiserslautern, Germany) 379

Synthesis of nickel phenyl complexes with new chelating κ^2-*P*,*N* ligands derived from α-iminoazatriphenylphosphoranes
P. Braunstein (Strasbourg, France), J. Pietsch (Strasbourg, Rueil-Malmaison, France), Y. Chauvin (Rueil-Malmaison, France), A. DeCian and J. Fischer (Strasbourg, France) 387

[2 + 2] Photocycloadditions of $[(\eta^5\text{-}C_5H_5)Ru(DMPP)_2L]PF_6$ complexes
H.-l. Ji, J.H. Nelson (Reno, NV, USA), A. DeCian, J. Fischer (Strasbourg, France), B. Li, C. Wang, B. McCarty, Y. Aoki, J.W. Kenney III (Portales, NM, USA), L. Solujic' and E.B. Milosavljevic' (Reno, NV, USA) 395

Molybdenum carbonyl complexes of di- and triphosphines: hydrophosphination reactions of $(HC{\equiv}CCH_2PPh_2)Mo(CO)_5$
K. Maitra, V.J. Catalano and J.H. Nelson (Reno, NV, USA) 409

Migratory insertion reaction of a phosphenium ligand into Mo– and W–alkyl bonds
H. Nakazawa, M. Kishishita (Higashi-Hiroshima, Okazaki, Japan), S. Yoshinaga (Higashi-Hiroshima, Japan), Y. Yamaguchi, T. Mizuta (Higashi-Hiroshima, Okazaki, Japan) and K. Miyoshi (Higashi-Hiroshima, Japan) 423

Chiral phosphorus ligands for asymmetric catalysis

Nucleophilic displacement routes to P-chiral phosphines; the introduction of sterically encumbered groups
J.M. Brown and J.C.P. Laing (Oxford, UK) 435

Chiral atropisomeric five-membered biheteroaromatic diphosphines: new ligands of the bibenzimidazole and biindole series
T. Benincori, E. Brenna, F. Sannicolò, L. Trimarco, P. Antognazza, E. Cesarotti, F. Demartin, T. Pilati (Milano, Italy) and G. Zotti (Padova, Italy) 445

Asymmetric synthesis of (*S*,*S*)-(+)-1,1'-bis-(methyl-phenyl-phosphino) ferrocene
E.B. Kaloun (Cergy Pontoise, France), R. Merdès, J.-P. Genêt (Paris, France), J. Uziel and S. Jugé (Cergy Pontoise, France) 455

New chiral phosphetanes: synthesis and use in the palladium-catalyzed allylic alkylation
A. Marinetti, V. Kruger and L. Ricard (Palaiseau, France) 465

Author Index 473

Subject Index 475

Conference Calendar 483

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.